


Quest 506

High-Efficiency Dehumidifier

1.877.420.1330
www.QuestClimate.com



Unit:	Quest 506 4036600
Impeller:	0" = 1500 CFM .2" = 1350 CFM .4" = 1220 CFM .6" = 1060 CFM
Power (Watts):	2700
Supply voltage:	220-240 VAC - 1 Phase - 60 Hz.
Current Draw (Amps):	11.0
Rated Current Draw (Amps): (104°F 36%)	13.6
Minimum Circuit Ampacity (MCA):	19.1A
Maximum Overcurrent Protection (MOP):	30A
Energy Factor (L/kWh):	3.8
Operating Temp:	56°F Min - 95°F Max
Water Removal (Pints/Day):	506
Efficiency (Pints/kWh):	8.1
Air Filter (MERV-13): (2)	Size: 18" x 20" x 2"

Power Cord:	 14ga 10', NEMA 6-20P	
Drain Connection:	3/4 Threaded NPT	
Refrigerant Type:	R410A	
Refrigerant Amount:	4lb. 8oz.	
Dimensions:	Unit	Shipping
Width:	28.9"	36"
Height:	33.8"	40"
Length:	44.7"	48"
Weight:	280 lbs	340 lbs

* requires buck/boost transformer to run on 208V or 277V

